

MAXY PAD

Sport Series




TECHNICAL SPECIFICATIONS

- Dimensions:** 48 - 55 cm seat centres
40 cm depth
122 cm height
- Backrest:** Extrusion blow moulded in texturized high-density polyethylene
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.
It fits into the lateral parts of the side panel.
Foam density, 40 Kg/m³
- Seat:** Extrusion blow moulded in texturized high-density polyethylene
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.
It fits into the lateral parts of the side panel.
Foam density, 40 Kg/m³
- Side Panel:** Texturized injected polypropylene, reinforced with glass fibre.
Concealed floor fixation system.
- Armrest:** Included in the very side panel.
- Volume:** 0.10 m³ / unit
- Weight:** 12.50 Kg not assembled


MAXY PAD

Sport Series

DIMENSIONS AND DRAWING



OPTIONS



CERTIFICATES

BS 5852:2006
 BS-EN 1021-1:2006
 CAL TB 117-2013, SECTION 1
 UNE 23.727-90 1R (M1)
 UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
 BS 5852:1979 Parte 1
 UNE 23.727-90 1R (M2 / M3) Opcional

Fabric	Fire Barrier	Foam	Plastic
•			
•			
•			
•	•		
•	•	•	
	•		
			•

AIDIMA
 INSTITUTO TECNOLÓGICO
 MUEBLE, MADERA, EMBALAJE Y APFES

fmo
 Furniture Marketing Organisation



ISO 9001
BUREAU VERITAS
 Certification



ISO 14001
BUREAU VERITAS
 Certification



 www.venueseating.dk
 info@venueseating.dk
 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev