

# MAXY PAD

Sport Series




## TECHNICAL SPECIFICATIONS

- Dimensions:** 48 - 55 cm seat centres  
40 cm depth  
122 cm height
- Backrest:** Extrusion blow moulded in texturized high-density polyethylene  
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.  
It fits into the lateral parts of the side panel.  
Foam density, 40 Kg/m<sup>3</sup>
- Seat:** Extrusion blow moulded in texturized high-density polyethylene  
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.  
It fits into the lateral parts of the side panel.  
Foam density, 40 Kg/m<sup>3</sup>
- Side Panel:** Texturized injected polypropylene, reinforced with glass fibre.  
Concealed floor fixation system.
- Armrest:** Included in the very side panel.
- Volume:** 0.10 m<sup>3</sup> / unit
- Weight:** 12.50 Kg not assembled


# MAXY PAD

## Sport Series

### DIMENSIONS AND DRAWING



### OPTIONS



### CERTIFICATES

BS 5852:2006  
 BS-EN 1021-1:2006  
 CAL TB 117-2013, SECTION 1  
 UNE 23.727-90 1R (M1)  
 UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006  
 BS 5852:1979 Parte 1  
 UNE 23.727-90 1R (M2 / M3) Opcional

	Fabric	Fire Barrier	Foam	Plastic
BS 5852:2006	●			
BS-EN 1021-1:2006	●			
CAL TB 117-2013, SECTION 1	●			
UNE 23.727-90 1R (M1)	●	●		
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●	
BS 5852:1979 Parte 1		●		
UNE 23.727-90 1R (M2 / M3) Opcional				●

