

ROMA D-BOX

Millenium Series




TECHNICAL SPECIFICATIONS

- Dimensions:** 68 cm seat centres
77.5 cm depth
105.5 + 15 cm height
- Backrest:** Cold moulded polyurethane foam 'UNIBLOCK 2' system, which wraps an injected polypropylene frame completely. All this structure is protected by a texturized injected polypropylene seat shell.
Optional headrest with seat shell.
Polyurethane density 55 Kg/m³
- Seat:** Manufactured over a bowed roof-tile shaped MDF board, on which an open cell polyurethane foam block _upholstered by means of a fabric cover_ is fixed. Fixed in open position, anchored to the side panel by means of steel plates.
Polyurethane density 40 Kg/m³
- Side panel:** Texturized injected polypropylene, 40mm
End row panels completely upholstered.
Concealed floor fixation system.
- Armrest:** Texturized injected polypropylene, including integrated cupholder.
- Volume:** 0.16 m³ / unit
- Weight:** 18.50 Kg not assembled

ROMA D-BOX

Millenium Series

DIMENSIONS AND DRAWING



OPTIONS




fixation to the floor



Ref 975 (more upright backrest)




Headrest



embroidered logo



Row labels




Seating numbering

CERTIFICATES

- BS 5852:2006
- BS-EN 1021-1:2006
- CAL TB 117-2013, SECTION 1
- UNE 23.727-90 1R (M1)
- UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
- BS 5852:1979 Parte 1

Fabric	Fire Barrier	Foam
●		
●		
●		
●	●	
●	●	●
	●	



 www.venueseating.dk

 info@venueseating.dk

 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev