VIENA Millenium Series





TECHNICAL SPECIFICATIONS

Dimensions: 60 - 62 cm seat centres

84 cm depth 110 cm height

Backrest: Completely upholstered by means of a fabric cover,

made up of an open cell polyurethane foam block and a beech solid wood frame with thin canvas strips. All this structure is protected by an upholstered wood

cover.

Foam density, 40 Kg/m³

Seat: Cold moulded polyurethane foam 'UNIBLOCK 2' system,

which enfolds an injected polypropylene frame completely. It is later upholstered by means of a fabric cover. Fixed in open position, anchored to the side panel by

means of steel plates.

Polyurethane density 65 Kg/m³

Side panel: Wood structure completely upholstered.

Concelaed floor fixation system.

Armrest: Integrated into the side panel, fully upholstered.


Volume: 0.21 m³ / unit


Weight: 22.00 Kg not assembled


VIENA

Millenium Series

DRAWING







OPTIONS







Movable seat



Rocker system



Fixation to the floor



Embroidered logo

Slope



Row labels

Ref 975 (more Seating numbering upright backrest)

CERTIFICATES

BS 5852:2006 BS-EN 1021-1:2006

CAL TB 117-2013, SECTION 1

UNE 23.727-90 1R (M1)

UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006

BS 5852:1979 Parte 1

Fabric Fire Barrier Foam

















www.venueseating.dk



info@venueseating.dk



+ 45 70236923



Venue Seating ApS Lykkesholms Alle 7 B, 3 sal 1902 Frederiksberg C Showroom: Smedeholm 11, 2730 Herlev