

# CELANOVA DESK

Studio Series



## TECHNICAL SPECIFICATIONS

**Dimensions:** 54 - 56 cm seat centres  
48.5 cm depth  
97 cm height

**Backrest:** Beech solid wood structure over which a MDF board is fixed and in turn, an open cell polyurethane foam block, upholstered by means of a fabric cover, is also fixed. Anti-panic bookrest in laminated wood, concealed in the backrest. The opening occurs by means of a simple movement and a vertical turn. Foam density, 40 Kg/m<sup>3</sup>

**Seat:** Cold moulded polyurethane foam 'UNIBLOCK 2' system, which wraps an injected polypropylene frame completely. It is later upholstered by means of a fabric cover. The seat pan folds by means of an automatic noiseless maintenance-free double spring. Polyurethane density 65 Kg/m<sup>3</sup>

**Side Panel:** Wood fibres board, finish in beech. Concealed floor fixation system by means of a steel plinth.

**Armrest:** Included in the very side panel.


**Volume:** 0.170 m<sup>3</sup> / unit

**Weight:** 28.50 Kg not assembled


# CELANOVA DESK

## Studio Series

### DRAWING



### OPTIONS



### CERTIFICATES

- BS 5852:2006
- BS-EN 1021-1:2006
- CAL TB 117-2013, SECTION 1
- UNE 23.727-90 1R (M1)
- UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
- BS 5852:1979 Parte 1

	Fabric	Fire barrier	Foam	Seat
BS 5852:2006	●			
BS-EN 1021-1:2006	●			
CAL TB 117-2013, SECTION 1	●			
UNE 23.727-90 1R (M1)	●	●		
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●	●
BS 5852:1979 Parte 1		●		



 [www.venueseating.dk](http://www.venueseating.dk)

 [info@venueseating.dk](mailto:info@venueseating.dk)

 + 45 70236923



Venue Seating ApS  
Lykkesholms Alle 7 B, 3 sal  
1902 Frederiksberg C  
Showroom: Smedeholm 11, 2730 Herlev