

CELANOVA PL DESK

Studio Series




TECHNICAL SPECIFICATIONS

- Dimensions:** 54 - 56 cm seat centres
55.5 cm depth
105 cm height
- Backrest:** Beech solid wood structure over which a MDF board is fixed and in turn, an open cell polyurethane foam block, upholstered by means of a fabric cover, is also fixed. Anti-panic bookrest in laminated wood, fixed to the backrest by means of a hinge. The opening is made by means of a simple vertical turn. Foam density, 40 Kg/m³
- Seat:** Beech solid wood structure over which a MDF board is fixed and in turn, an open cell polyurethane foam block, upholstered by means of a fabric cover, is also fixed. Anti-panic bookrest in laminated wood, fixed to the backrest by means of a hinge. The opening is made by means of a simple vertical turn. Foam density, 40 Kg/m³
- Side Panel:** Wood fibres board, finish in beech. Anti-panic polystyrene writing pad system with interior steel structure, located in the interior of the side panel. Concealed floor fixation system by means of a steel plinth.
- Armrest:** Included in the very side panel.
- Volume:** 0.190 m³ / unit
- Weight:** 30.50 Kg not assembled


CELANOVA PL DESK

Studio Series

DRAWING



OPTIONS



CERTIFICATES

- BS 5852:2006
- BS-EN 1021-1:2006
- CAL TB 117-2013, SECTION 1
- UNE 23.727-90 1R (M1)
- UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
- BS 5852:1979 Parte 1

	Fabric	Fire barrier	Foam	Seat
BS 5852:2006	●			
BS-EN 1021-1:2006	●			
CAL TB 117-2013, SECTION 1	●			
UNE 23.727-90 1R (M1)	●	●		
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●	●
BS 5852:1979 Parte 1		●		



 www.venueseating.dk

 info@venueseating.dk

 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev