

CELANOVA PL

Studio Series




TECHNICAL SPECIFICATIONS

- Dimensions:** 54 - 56 cm seat centres
53.5 cm depth
96 cm height
- Backrest:** Beech solid wood structure over which a MDF board is fixed and in turn, an open cell polyurethane foam block, upholstered by means of a fabric cover, is also fixed.
Foam density, 40 Kg/m³
- Seat:** Cold moulded polyurethane foam 'UNIBLOCK 2' system, which wraps an injected polypropylene frame completely. It is later upholstered by means of a fabric cover.
The seat pan folds by means of an automatic noiseless maintenance-free double spring.
Polyurethane density 65 Kg/m³
- Side Panel:** Wood fibres board, finish in beech.
Anti-panic polystyrene writing pad system with interior steel structure, located in the interior of the side panel.
Concealed floor fixation system by means of a steel plinth.
- Armrest:** Included in the very side panel.
- Volume:** 0.170 m³ / unit
- Weight:** 27.00 Kg not assembled


CELANOVA PL

Studio Series

DRAWING



OPTIONS



CERTIFICATES

BS 5852:2006
 BS-EN 1021-1:2006
 CAL TB 117-2013, SECTION 1
 UNE 23.727-90 1R (M1)
 UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
 BS 5852:1979 Parte 1

Fabric	Fire barrier	Foam	Seat
●			
●			
●			
●	●		
●	●	●	●
	●		



 www.venueseating.dk

 info@venueseating.dk

 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev