

# ES 700 PAD

Sport Series




## TECHNICAL SPECIFICATIONS

- Dimensions:** 48 - 55 cm seat centres  
40 cm depth  
95 cm height
- Backrest:** Extrusion blow moulded in texturized high-density polyethylene  
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.  
It fits into the lateral parts of the side panel.  
Foam density, 40 Kg/m<sup>3</sup>
- Seat:** Extrusion blow moulded in texturized high-density polyethylene  
Structure fixed over an open cell polyurethane foam block upholstered by means of a fabric cover.  
The folding takes places automatically under gravity.  
Foam density, 40 Kg/m<sup>3</sup>
- Side Panel:** Texturized injected polypropylene, reinforced with glass fibre.  
Concealed floor fixation system.
- Armrest:** Included in the very side panel.
- Volume:** 0.09 m<sup>3</sup> / unit
- Weight:** 11.30 Kg not assembled


# ES 700 PAD

Sport Series

## DIMENSIONS AND DRAWING



## OPTIONS




## CERTIFICATES

- BS 5852:2006
- BS-EN 1021-1:2006
- CAL TB 117-2013, SECTION 1
- UNE 23.727-90 1R (M1)
- UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
- BS 5852:1979 Parte 1
- UNE 23.727-90 1R (M2 / M3) Opcional
- UNE EN 12727:01 Uso Público Severo (Nivel 4)

	Fabric	Barrier	Foam	Plastic	Seat
BS 5852:2006	●				
BS-EN 1021-1:2006	●				
CAL TB 117-2013, SECTION 1	●				
UNE 23.727-90 1R (M1)	●	●			
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●		
BS 5852:1979 Parte 1		●			
UNE 23.727-90 1R (M2 / M3) Opcional				●	
UNE EN 12727:01 Uso Público Severo (Nivel 4)					●



 [www.venueseating.dk](http://www.venueseating.dk)

 [info@venueseating.dk](mailto:info@venueseating.dk)

 + 45 70236923



Venue Seating ApS  
Lykkesholms Alle 7 B, 3 sal  
1902 Frederiksberg C  
Showroom: Smedeholm 11, 2730 Herlev