

ES 700 TT

Sport Series




TECHNICAL SPECIFICATIONS

Dimensions:	53 cm seat centres 40 cm depth 95 cm height
Backrest:	Extrusion blow moulded in texturized high-density polyethylene. Structure fixed over an open cell polyurethane foam block fully upholstered by means of a fabric cover. It fits into the lateral parts of the side panel. Foam density, 40 Kg/m ³
Seat:	Extrusion blow moulded in texturized high-density polyethylene. Structure fixed over an open cell polyurethane foam block fully upholstered by means of a fabric cover. The folding takes places automatically under gravity. Foam density, 40 Kg/m ³
Side Panel:	Texturized injected polypropylene, reinforced with glass fibre. Concealed floor fixation system.
Armrest:	Included in the very side panel.
Volume:	0.09 m ³ / unit
Weight:	11.30 Kg not assembled


ES 700 PAD

Sport Series

DIMENSIONS AND DRAWING



OPTIONS



CERTIFICATES

BS 5852:2006
 BS-EN 1021-1:2006
 CAL TB 117-2013, SECTION 1
 UNE 23.727-90 1R (M1)
 UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
 BS 5852:1979 Parte 1
 UNE 23.727-90 1R (M2 / M3) Opcional
 UNE EN 12727:01 Uso Público Severo (Nivel 4)

Fabric	Barrier	Foam	Plastic	Seat
•				
•				
•				
•	•			
•	•	•		
	•			
			•	
				•

AIDIMA
 INSTITUTO TECNOLÓGICO
 MUEBLE, MADERA, EMBALAJE Y APINOS

fmo
 Bureau of Furniture and Office
 Furniture and Office Furniture

FIRA
 Member of
 FIRA

ISO 9001
 BUREAU VERITAS
 Certification

BUREAU VERITAS
 1828

ISO 14001
 BUREAU VERITAS
 Certification

BUREAU VERITAS
 1828

AENOR
 Ecodiseño
 UNE-EN ISO 14001

 www.venueseating.dk
 info@venueseating.dk
 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev