

# MICRA 100

## Micra Series



### TECHNICAL SPECIFICATIONS

**Dimensions:** 48 - 52 cm seat centres  
53 cm depth  
11 cm height

**Backrest:** Manufactured over a flat MDF board, on which an open cell polyurethane foam block \_upholstered by means of a fabric cover\_ is fixed. All this structure is protected by means of a steel strip in the low part.  
No need of any spring for the folding of the backrest, thus achieving a precise, sound, reliable, noiseless and maintenance-free structure.  
Foam density, 40 Kg/m<sup>3</sup>

**Seat:** Manufactured over a flat MDF board, on which an open cell polyurethane foam block \_upholstered by means of a fabric cover\_ is fixed.  
Fixed to the grandstand floor in a discreet way, thus keeping completely concealed from view.  
Foam density, 40 Kg/m<sup>3</sup>

**Side Panel:** Tip-up folding system in carbon steel, finish in epoxy paint.

**Armrest:** Optionally in rounded texturized injected polypropylene.

**Volume:** 0.09 m<sup>3</sup> / unit


**Weight:** 15.00 Kg not assembled




# MICRA 100

## Micra Series

### DRAWING



### OPTIONS



### CERTIFICATES

	Fabric	Fire Barrier	Foam
BS 5852:2006	●		
BS-EN 1021-1:2006	●		
CAL TB 117-2013, SECTION 1	●		
UNE 23.727-90 1R (M1)	●	●	
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●
BS 5852:1979 Parte 1		●	



 [www.venueseating.dk](http://www.venueseating.dk)

 [info@venueseating.dk](mailto:info@venueseating.dk)

 + 45 70236923



Venue Seating ApS  
Lykkesholms Alle 7 B, 3 sal  
1902 Frederiksberg C  
Showroom: Smedeholm 11, 2730 Herlev