

MICRA TEK 500

Micra Series

TECHNICAL SPECIFICATIONS

Dimensions: 48 - 52 cm seat centres
58 cm depth
15.5 cm height

Backrest: Extrusion blow moulded in texturized high-density polyethylene.
No need of any spring for the folding of the backrest, thus achieving a precise, sound, reliable, noiseless and maintenance-free structure.

Seat: Extrusion blow moulded in texturized high-density polyethylene.
Fixed to the grandstand floor in a discreet way, thus keeping completely concealed from view.

Side Panel: Tip-up folding system in carbon steel, finish in epoxy paint.

Armrest: Optionally in rounded texturized injected polypropylene.

Volume: 0.09 m³ / unit


Weight: 15.00 Kg not assembled




MICRA TEK 500

Micra Series

DRAWING



OPTIONS



CERTIFICATE

UNE 23.727-90 1R (M2 / M3) Opcional Plastic



Venuseating reserves the right to modify the dimensions and characteristics without prior notice. All dimensions and specifications are given for information purposes only.

 www.venueseating.dk

 info@venueseating.dk

 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev