

TRAMEX

Studio Series



TECHNICAL SPECIFICATIONS

Dimensions: 48 - 52 cm seat centres
38 cm depth
95 cm height

Backrest: Made up of an open cell polyurethane foam block, solid wood frame with thin canvas strips and upholstery. All this structure is protected by a varnished wood cover. It fits into the lateral parts of the side panel.

Seat: Cold moulded polyurethane foam 'UNIBLOCK 2' system, which enfolds an injected polypropylene frame completely. It is later upholstered by means of a fabric cover. Optionally protected by a beech compressed wood cover. The folding takes places automatically under gravity.

Side Panel: Texturized injected polypropylene, reinforced with glass fibre.
Concealed floor fixation system.

Armrest: Included in the very side panel.


Volume: 0.10 m³ / unit

Weight: 12.20 Kg not assembled


TRAMEX

Studio Series

DIMENSIONS AND DRAWING



OPTIONS



CERTIFICATES

BS 5852:2006
 BS-EN 1021-1:2006
 CAL TB 117-2013, SECTION 1
 UNE 23.727-90 1R (M1)
 UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
 BS 5852:1979 Parte 1
 UNE 23.727-90 1R (M2 / M3) Opcional

	Fabric	Fire Barrier	Foam	Plastic
BS 5852:2006	●			
BS-EN 1021-1:2006	●			
CAL TB 117-2013, SECTION 1	●			
UNE 23.727-90 1R (M1)	●	●		
UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006	●	●	●	
BS 5852:1979 Parte 1		●		
UNE 23.727-90 1R (M2 / M3) Opcional				●



 www.venueseating.dk

 info@venueseating.dk

 + 45 70236923



Venue Seating ApS
Lykkesholms Alle 7 B, 3 sal
1902 Frederiksberg C
Showroom: Smedeholm 11, 2730 Herlev